


# FUJICN

## FUJICN SERIES ELEVATOR

-  Passenger Elevator
-  Observation Elevator
-  Hospital Elevator
-  Freight Elevator
-  Escalator \ Moving walk



Provide customers with a more secure load



### FUJICN Elevator Co., Ltd.

### Zhejiang FUJI Import and Export Co., Ltd.

Add: 3/F, 1 Building, Mingliu Road, Nanxun Town,  
Huzhou City, Zhejiang Province

Tel: +86 572-2630228

Fax: +86 572-2630225

E-mail: ceo@fujicn.com.cn

Http: //www.fujicn.com.cn

### FUJICN Malaysia Branch

### SML Elevator Sdn.Bhd.

Add: No. 12-2, Jalan Merbah 2, Bandar Puchong  
Jaya, 47170 Puchong, Selangor

Tel: +603-8075 8686

Fax: +603-80769686

E-mail: enquiry@sml-elevator.com

### FUJICN Africa Branch

### ELERECT.

Add: Mayula House, Coner of West Burger and Charlotte  
Macheke street,Bloemfontein 9301,PO Box 34304,  
Faunasig 9325,South Africa

Tel: +27 81 361 1095

E-mail: elerect@gmail.com

The printed products are for reference only the company has the right change the designs and specifications of the products at any time,the information contained in the printed does not constitute any express or implied guarantees or commitment for the products and its applicability ,merchantability,and quality of special purposes,or any terms of procurement agreement.



## COMPANY PROFILE

FUJICN is a professional elevator manufacturer from China, focusing on elevator R & D, manufacturing, sales, installation and maintenance services. Customer focus, customer satisfaction as the evaluation criteria for product and service work, determined to provide reliable and diverse products for the world.

The elevator test tower of FUJICN is 89 meters high and the elevator running speed at 7m/s. Products include high-speed passenger elevator, residential elevator, hospital elevator, freight elevator, observation elevators, villa elevators, escalator, moving walk, machine roomless freight elevator, hydraulic elevator. At present, FUJICN elevators have covered more than 20 countries in the world. At the same time, they have obtained CE and TUV certification, and have reached the advanced level both at home and abroad. And has the advantage of green energy saving and so on.

FUJICN will develop in the direction of production, energy saving, pollution reduction, low noise, long service life and green environmental protection. We apply the technology of IT environment energy to the elevator, escalator, building comprehensive management service and so on. We are committed to using advanced technology for urban development service .

### Our mission

Provide more secure carrying for customers.

### Our service standards

Be prepared to solve the problem first and then divide the responsibility.

### Our product concept

Quality is the life of an enterprise



# ADVANCED EQUIPMENT



If you want to win the battle, you shall sharpen your weapons first. FUJICN Elevator introduces the advanced imported international digital control equipment. It gets advanced devices such as effective; energy-saving; environment-protection permanent magnet synchronous and gearless motive drive system, fully automatic gold-copper wire welding machine, discrete device sorting machine, testing facilities, constant temperature purifying environment etc. It guarantees superior product quality. High starting point and large investment show determination of FUJICN Elevator to pursue perfection and manufacture excellent elevators.


① Workshop

② Robot	③ Tooling for turret punch
④ CNC bending machine	⑤ Escalator production workshop





## ADVANCED TECHNOLOGY



Remote Monitoring Function

## GREEN ENERGY SAVING

### Gesture call recognition system

Users can use simple gestures to control the interaction with the elevator so that the call panel can understand human behavior. Its core technologies are gesture segmentation, gesture analysis and gesture recognition. Using elevators without contact is safe and sanitary, and can avoid bacterial infection in crowded places.



### Aerial imaging control screen

Adopting the world's leading interactive aerial imaging technology, the operation interface of various equipment can be directly imaged in the air, and the user can complete the control in the air without any contact in the whole process. The interaction is sensitive, with a sense of technology, stable, safe and reliable in use.




Compared with common technologies, it saves 33% of energy.



It needs no grease-renewal. It has no oil-stain pollution.



Low noise, natural & peaceful.



Low noise, natural & peaceful.

### Elevator Automatic Rescue Device

When the elevator is out of power, ARD automatically starts rescue, voice reminds the trapped person, relieves the passenger's emotions, and the elevator runs to the nearest floor to automatically open the door.



### ID / IC card identification (optional)

ID / IC card controls the elevator use. Only ID / IC card only use the elevator. It vigorously strengthens the security of the building management. The users can be rest assured in using the elevator.






## SMALL MACHINE ROOM PASSENGER ELEVATOR

FUJICN Elevator small machine room passenger elevator helps you to enhance engineering efficiency, quicken construction speed. It guarantees smooth operation of building project . It does not affect the project progress because of elevator installation. Meanwhile, when the building needs to be renewed / reconstructed, host of FUJICN Elevator small machine room passenger elevator can be easily moved out, conveniently renewed from machine room. Regarding traditional host, it can only be fixed in machine room.

### It greatly saves the space

The compact permanent magnet synchronous and gearless host leaves a large space for machine room. When hoisting equipment installs it from the building top, such handy host requires much smaller hoisting equipment than that of traditional machine room device. It even can be directly hoisted from the well.




- ◆ All digital control
- ◆ Energy-saving permanent magnet synchronous and gearless traction machine
- ◆ Effective permanent magnet variable frequency door machine
- ◆ Individual decoration

## MACHINE ROOMLESS PASSENGER ELEVATOR

### Greatness in trivialness, intellectual and outstanding

The application of FUJICN Elevator machine roomless elevator saves a machine room at the construction top. We apply the world's top-grade design concepts and the well-developed control technology, especially permanent magnet synchronous and gearless drive system, the excellent and top-grade fully computerized data network system with the outstanding combined properties. It gives a full play of the humane intelligence and foreseeing ideas of low carbon environmental protection. The serial goods have the distinguished advantages such as effective, space & energy saving, safe and comfortable and so forth.



- ◆ Wells optimal design has effectively save 10% of construction areas.
- ◆ Being equipped with green drive and energy conservation devices, energy conservation has reached 30%.
- ◆ Machine room-less concept makes the design of building more free and comfortable.



## PASSENGER ELEVATOR CAR DECORATION



**FUJICN-K001** (Standard)


Ceiling: Hairline stainless steel, acrylic transparent board, LED lighting  
 Car door: Hairline stainless steel  
 Car wall: Hairline stainless steel  
 Floor: PVC (marble optional)



**FUJICN-K002** (Optional)

Ceiling: One-piece condole top, painted stedll, Acrylic,LED lights  
 Car wall: hairline stainless steel  
 Floor: PVC (marble optional)

## PASSENGER ELEVATOR CAR DECORATION



**FUJICN-K005** (Optional)

Ceiling: Mirror stainless steel, acrylic lighting, LED lights on both sides  
 Car panel: Hairline stainless steel, mirror stainless steel combination  
 Floor: PVC(optional marble)



**FUJICN-K006** (Optional)

Ceiling : Acrylic lighting, acrylic arched roof  
 Car wall : Mirror stainless steel, hairline stainless steel  
 Handrail : Stainless steel flat handrail  
 Floor : PVC floor(optional marble)



**FUJICN-K003** (Optional)

Ceiling: Mirror stainless steel, LED light, acrylic transparent board  
 Car wall: Hairline stainless steel, mirror stainless steel  
 Handrail: Stainless steel flat handrail  
 Floor: PVC floor (optional marble)




**FUJICN-K004** (Optional)

Ceiling: Hairline stainless steel, acrylic light decoration  
 Car wall: Hairline etched stainless steel, artistic veneer decoration  
 Handrail: Stainless steel flat handrail  
 Floor: PVC(optional marble)



**FUJICN-K007** (Optional)

Ceiling: stainless steel plate, acrylic transparent plate, high-efficiency energy-saving LED lighting  
 Car wall: Hairline stainless steel, mirror etching  
 Floor: PVC (marble optional)



**FUJICN-K008** (Optional)

Ceiling: Suspended square image main body lamp board and soft light lighting design combined with downlight  
 Car Wall: Hairline stainless steel on both sides, back wall hairline stainless steel and mirror etching combination  
 Floor : PVC floor ( optional marble )



## PASSENGER ELEVATOR CAR DECORATION



**FUJICN-K009** (Standard)

Ceiling: mirror stainless steel frame, LED, acrylic  
 Car wall: hairline stainless steel, mirror stainless steel  
 Handrail: stainless steel flat handrail  
 Floor: PVC (optional marble)



**FUJICN-K010** (Optional)

Ceiling: Mirror stainless steel frame, LED, acrylic  
 Car wall: Hairline stainless steel, mirror stainless steel  
 Handrail: Stainless steel flat handrail  
 Floor: PVC (optional marble)

## PASSENGER ELEVATOR CAR DECORATION



**FUJICN-K013** (Optional)

Ceiling: stainless steel frame, acrylic lighting panel in the middle, downlights on both sides  
 Car wall: combination of hairline stainless steel and mirror-etched stainless steel  
 Front wall, car door: Hairline stainless steel  
 Floor: non-slip stainless steel



**FUJICN-K014** (Optional)

Ceiling: mirror stainless steel frame, acrylic lighting  
 Car wall: hairline stainless steel, mirror-etched stainless steel  
 Handrail: stainless steel single tube handrail  
 Floor: PVC floorC floor(optional marble)




**FUJICN-K011** (Optional)

Ceiling: mirror stainless steel frame, LED light  
 Car wall: mirror stainless steel, frosted  
 Floor: PVC (optional marble)




**FUJICN-K012** (Optional)

Ceiling: Hairline stainless steel frame, embellished with downlights on four sides  
 Car wall: combination of hairline stainless steel and mirror-etched stainless steel  
 Front wall, car door: Hairline stainless steel  
 Floor: non-slip stainless steel



**FUJICN-K015** (Optional)

Ceiling: Hairline stainless steel, acrylic lighting  
 Car wall: black titanium mirror stainless steel, marble  
 Handrails: stainless steel flat handrails (both sides) (optional)  
 Floor: PVC (optional marble)



**FUJICN-K016** (Optional)

Ceiling: mirror stainless steel frame, acrylic lighting  
 Car wall: hairline stainless steel, mirror-etched stainless steel  
 Handrail: stainless steel single tube handrail  
 Floor: PVC floor



## PASSENGER ELEVATOR CAR DECORATION



**FUJICN-K017** (Optional)

Car wall: Etched Titanium Gold Mirror Stainless Steel  
 Ceiling: Steel plate baked enamel framework, stainless steel mirror hollowed hole top plate  
 Handrail: Titanium Gold Stainless Steel with Round Type  
 Floor: Standard PVC



**FUJICN-K018** (Optional)


Ceiling: Titanium mirror stainless steel frame, LED lights  
 Back wall: Titanium gold-plated stainless steel, titanium mirror finish  
 Side wall: Titanium gold-plated stainless steel, titanium mirror finish  
 Car door: Titanium blonde stainless steel  
 Floor: PVC (optional marble)

## PASSENGER ELEVATOR CAR DECORATION



**FUJICN-K021** (Optional)

Ceiling: Titanium gold grain stainless steel, acrylic transparent plate, LED light  
 Car wall: Titanium gold grain stainless steel, titanium mirror stainless steel  
 Floor: PVC (optional marble)




**FUJICN-K022** (Optional)

Ceiling: Champagne gold mirror stainless steel, ceiling lamp  
 Car wall: Champagne gold mirror stainless steel, champagne gold stainless steel etching  
 Handrail: Acrylic single tube  
 Floor: PVC (optional marble)



**FUJICN-K019** (Optional)

Ceiling: Titanium mirror frame, LED light, acrylic  
 Car wall: Titanium and grain mirror stainless steel, titanium mirror stainless steel  
 Handrail: Titanium round tube handrail  
 Floor: PVC (optional marble)




**FUJICN-K020** (Optional)

Ceiling: Titanium mirror stainless steel frame, acrylic lighting, LED light  
 Car wall: Titanium mirror etching stainless steel  
 Handrail: Stainless steel wood combination handrail  
 Floor: PVC floor (optional marble)



**FUJICN-K023** (Optional)

Ceiling: Titanium mirror border, transparent plate, LED lights  
 Car wall: Titanium printing stainless steel, titanium mirror etching  
 Floor: PVC (optional marble)



**FUJICN-K024** (Optional)

Ceiling: Rose gold mirror stainless steel frame, LED  
 Back wall: Rose gold-brushed stainless steel, rose gold mirror etching  
 Side wall: Rose gold pattern stainless steel, rose gold mirror etching  
 Floor: PVC (optional marble)



## PASSENGER ELEVATOR CAR DECORATION



**FUJICN-K025** (Optional)

Ceiling: Mirror titanium stainless steel frame, acrylic lighting  
 Car wall: Mirror, etching, Titanium  
 Handrail: Titanium stainless steel tube  
 Floor: PVC (optional marble)



**FUJICN-K026** (Optional)

Ceiling: Titanium and stainless steel frame, acrylic lamps, LED lights  
 Car wall: Titanium, mirror, etching  
 Handrail: Rosewood titanium stainless steel handrail  
 Floor: PVC (optional marble)

## PASSENGER ELEVATOR CAR DECORATION



**FUJICN-K029** (Optional)

Ceiling: Paint wood (plain), bronze hairline stainless steel frame, LED lights, hidden lights  
 Car wall: Wood finishes (Ash), bronze hairline stainless steel frame, car border, etched mirror stainless steel  
 Handrail: Brass handrails  
 Floor: PVC (optional marble)




**FUJICN-K030** (Optional)

Ceiling: Rose gold mirror stainless steel frame, acrylic translucent panels  
 Car door: Rose gold mirror  
 Car wall: Rose gold mirror etching, marble  
 Handrail: Rose gold-plated handrails  
 Floor: PVC (optional marble)



**FUJICN-K027** (Optional)

Ceiling: Spray stainless steel, mirror stainless steel, LED lights  
 Car wall: Titanium mirror stainless steel, titanium mirror etching  
 Floor: PVC (marble optional)



**FUJICN-K028** (Optional)

Ceiling: Metal paint shape, stainless steel metal decoration, hidden lamp with lighting  
 Car wall: Marble inlaid stainless steel metal bars, champagne gold sandblasted stainless steel  
 Handrail: Acrylic armrest  
 Floor: PVC floor(optional marble)



**FUJICN-K031** (Optional)

Ceiling: Champagne gold mirror stainless steel frame, acrylic translucent sheet  
 Car wall: Champagne gold mirror stainless steel etching combination  
 Handrail: Titanium stainless steel single tube  
 Flooring: PVC floor(optional marble)



**FUJICN-K032** (Optional)


Ceiling: Mirror stainless steel frame, ceiling light, LED light  
 Car wall: Mirror stainless steel on both sides, wood frame in the middle + titanium mirror etching  
 Handrail: Wooden titanium gold mirror combination single tube  
 Floor: PVC floor(optional marble)




# OBSERVATION ELEVATOR CAR DECORATION

## Different model design


The stylish and generous design style is available for customers to choose from, and the blue display part is for sightseeing glass.



Semi-circular shaped



Square shaped



Cutting-angle-type



Panoramic

## ◀ FUJICN-G001 (Standard)

Sightseeing wall: Round laminated safety glass (3 pieces)  
 Decorative top: Mirror stainless steel, LED lights  
 Car wall: Hairline stainless steel  
 Handrail: Stainless steel round tube  
 Floor: PVC floor

# OBSERVATION ELEVATOR CAR DECORATION



## FUJICN-G002 (Optional)

Car cover: Titanium, acrylic round cover  
 Observation wall: Safety laminated glass  
 Decoration roof: Mirror stainless steel frame, LED  
 Car wall: Titanium gold pattern stainless steel, safety laminated glass  
 Handrail: Stainless steel three tubes  
 Floor: PVC (optional marble)



## FUJICN-G003 (Optional)

Upper and lower cover: Steel plate paint  
 Sightseeing wall: 6+6 safety laminated glass  
 Decorative top: Steel painted frame, acrylic lighting  
 Car wall: Hairline stainless steel  
 Handrail: Stainless steel three tubes  
 Floor: PVC



## FUJICN-G004 (Optional)

Car cover: circular corner cut, steel plate baking finish, acrylic translucent cover  
 Observation wall: circular laminated safety glass (3 pieces)  
 Decoration roof: steel plate baking finish frame, acrylic roof and LED lighting  
 Car wall: hairline stainless steel  
 Handrail:  $\phi 38$  stainless steel pipe  
 Floor: PVC



## FUJICN-G005 (Optional)

Car cover: Steel plate paint, lighting  
 Observation wall: Safety laminated glass  
 Decoration ceiling: Sprayed steel plate, acrylic top plate, downlight  
 Car wall: Hairline stainless steel  
 Handrail: 38 stainless steel single tube  
 Floor: PVC floor



## FUJICN-G006 (Optional)

Car cover: Baked enamel steel plate, acrylic lighting decoration  
 Panorama wall: Toughened laminated glass  
 Decoation roof: Painted steel plate, acrylic, LED lighting  
 Car wall: Hairline stainless steel  
 Handrail: Stainless steel round tube  
 Floor: PVC (optional marble)



## FUJICN-G007 (Optional)

Car cpver: Titanium, acrylic round cover  
 Panorama wall: Circular safety glass  
 Decoration roof: Spraying steel plate, Acrylic light board  
 Car wall: Titanium mirror stainless steel, titanium etching  
 Handrail: Stainless steel round tube  
 Floor: PVC (optional marble)





## HOSPITAL ELEVATOR CAR DECORATION





### ◀ FUJICN-Y001 (Standard)

Ceiling : Stainless steel frame, Acrylic top panel and lighting decoration  
 Ventilation : Axial fan  
 Car wall : Hairline stainless steel  
 Handrail : Stainless steel flat handrail  
 Floor : PVC

## HOSPITAL ELEVATOR

FUJICN Hospital elevator, designed for hospital, medical office, rehabilitation center, nursing homes and other places. It is not only used to convey the passengers. It has been put with the special and strict requirements because of its special use, function and performance. FUJICN Hospital elevator can accurately control the elevator running speed with smooth and comfortable operation.

FUJICN Hospital elevator lays stress on the humane design. It fully optimizes the car structure and satisfies the customer's using demands to the max. extent. It provides the passengers with a quiet and elegant space. It creates a harmonious unity to the hospital environments by its unique design idea. It brings about a bright and clean space. It furnishes the passengers with a cozy atmosphere to make patient feel more happy.



### ▶ FUJICN-Y002 (Optional)

Ceiling : Paint steel plate, down lamp  
 Ventilation : Axial fan  
 Car wall : Hairline stainless steel  
 Handrail : Stainless steel flat handrail  
 Floor : PVC





## FREIGHT ELEVATOR

### Super-strong loading capacity multiple considerations

We apply the fully computerized modular elevator special control system, effective and reliable drive mode, sensitive and flexible VVVF variable frequency door machine for FUJICN Elevator serial freight elevator so that our elevator can have relaxed transport under various work conditions. High strength car structure, anti-collision strip, photocell door setting can satisfy all kinds of the freight transport. They are also applicable for different building structures. As a result, we can tackle more and more transport tasks at ease and create a completely new freight carrying concept as well.



- ▶ Safe and reliable structure, high strength
- ▶ Durable, smooth operation
- ▶ Open the door away from large, cost-effective
- ▶ Complete specifications, reliable performance


### Various ways of door open




Side opening door



4-panels center opening door



Single opening door




Through opening door

## MACHINE ROOMLESS FREIGHT ELEVATOR

### It arouses infinite possibilities. Machine roomless is more powerful than the elevator with machine room

FUJICN Elevator machine roomless freight elevator takes low carbon environment protection as design concept. It saves energy and reduces loss. It utilizes the well space to the greatest extent. It regards saving the building area and decreasing the building cost as ultimate goal. It gives a full play of green humane spirits of the products. Compared with geared elevator with same load level, it can save 40% of electric energy, 10% of building area.



### FUJICN-H001 (Standard)


- Ceiling: Textured stainless steel, LED lights
- Back wall: Textured stainless steel
- Side wall: Textured stainless steel
- Car door: Textured stainless steel
- Floor: Checkered steel plate



## LANDING DOOR SERIES



FUJICN-KM001 ( Standard)  
Hairline



FUJICN-KM002 (Optional)  
Hairline, etched, mirror




FUJICN-KM003 (Optional)  
Hairline, etched, mirror



FUJICN-KM007 (Optional)  
Hairline, etched, mirror



FUJICN-KM008 (Optional)  
Hairline, etched, mirror




FUJICN-KM009 (Optional)  
Hairline, etched, mirror



FUJICN-KM004 (Optional)  
Hairline, etched, mirror




FUJICN-KM005 (Optional)  
Hairline, etched, mirror



FUJICN-KM006 (Optional)  
Hairline, etched, mirror



FUJICN-KM010 (Optional)  
Hairline, etched, mirror



FUJICN-KM011 (Optional)  
Hairline, etched, mirror



FUJICN-KM012 (Optional)  
Hairline, etched, mirror


## LANDING DOOR SERIES




## LANDING DOOR SERIES




FUJICN-KM013 (Optional)  
Mirror, etch, hairline



FUJICN-KM014 (Optional)  
Mirror, etch, hairline




FUJICN-KM015 (Optional)  
Mirror, etch, hairline



FUJICN-KM019 (Optional)  
Mirror Finish, Etched, titanium gold



FUJICN-KM020 (Optional)  
Titanium gold, Etching Finish,




FUJICN-KM021 (Optional)  
Titanium gold grain stainless steel etching



FUJICN-KM016 (Optional)  
Etched, titanium




FUJICN-KM017 (Optional)  
Titanium mirror stainless steel etching



FUJICN-KM018 (Optional)  
Mirror Finish, Etching Finish, titanium gold



FUJICN-KM022 (Optional)  
Rose gold, etching



FUJICN-KM023 (Optional)  
Rose gold, etching



FUJICN-KM024 (Optional)  
Rose gold, etching

## LANDING DOOR SERIES




# OPERATION PANEL

# OPERATION PANEL

Integrated COP

Integrated COP



Button:  
Inductive touch button



FUJICN-KC001  
Optional

Panel : Mirror panel  
Mode of display : LCD  
Calling box installation: Wall-mounted

FUJICN-KW001  
Optional

FUJICN-KC002  
Optional

Panel : Hairline stainless steel  
Mode of display : LCD  
Calling box installation: Embedded

FUJICN-KW002  
Optional

FUJICN-KC003  
Optional

FUJICN-KW003  
Anti-fingerprint stainless steel  
No bottom box calling

FUJICN-KC004  
Optional

Panel : Mirror panel  
Mode of display : LCD  
Calling box installation: Wall-mounted

FUJICN-KW004  
Optional

FUJICN-KC005  
Optional

FUJICN-KW005  
Anti-fingerprint stainless steel  
No bottom box calling

FUJICN-KC006  
Optional

FUJICN-KW006  
Optional




## ARRIVAL LIGHT SERIES



FUJICN-DZ001 FUJICN-DZ002 FUJICN-DZ003 FUJICN-DZ004 FUJICN-DZ006

## MULTIMEDIA DISPLAY OF COP



4.3" BND 6.4" BND 6.4" BND 6.4" STN 7.0" TFT 7.0" TFT  
Color LCD in 7 inch (picture type) Color LCD in 8.4 inch (picture type) Color LCD in 10 inch (picture type) 12.1" TFT 15" TFT 10.4inch Display in parallel

## BUTTON SERIES



FUJICN-KA001 Optional FUJICN-KA002 Optional FUJICN-KA003 Optional FUJICN-KA004 Optional FUJICN-KA005 Optional FUJICN-KA006 Optional

## HANDRAIL SERIES



FUJICN-F001  
Hairline stainless steel round tube



FUJICN-F003  
Mirror stainless steel round tube



FUJICN-F005  
Stainless steel pipe titanium gold



FUJICN-F007  
Triple mirror stainless steel round tube



FUJICN-F009  
Triple combination mirror stainless steel round tube



FUJICN-F011  
Mirror stainless steel titanium round tube



FUJICN-F002  
Hairline stainless steel flat handrail



FUJICN-F004  
Mirror stainless steel titanium round tube, solid wood



FUJICN-F006  
Red antique copper, rosewood



FUJICN-F008  
Solid wood flat handrail



FUJICN-F010  
Wooden round handrail




FUJICN-F012  
Mirror acrylic combination handrail



## CEILING SERIES



**FUJICN-D001** (Standard)  
Hairline stainless steel, acrylic transparent board, LED lighting



**FUJICN-D002** (Optional)  
Stainless steel with short hair, curved acrylic, acrylic strip on both sides




**FUJICN-D003** (Optional)  
Mirror stainless steel bottom plate, intermediate acrylic lamp cover, surrounded LED lamp lighting



**FUJICN-D004** (Optional)  
Mirror stainless steel floor, surrounded by LED lights



**FUJICN-D005** (Optional)  
Hairline stainless steel frame, acrylic light transmission board, LED lamp



**FUJICN-D006** (Optional)  
Hairline stainless steel, acrylic light transmission plate, LED lamp



**FUJICN-D007** (Optional)  
Hairline stainless steel frame, acrylic light transmission board, LED lamp



**FUJICN-D008** (Optional)  
Mirror stainless steel, acrylic lighting, LED lighting on both sides

## CEILING SERIES




**FUJICN-D009** (Optional)  
Hairline stainless steel, LED illumination



**FUJICN-D010** (Optional)  
Stainless steel frame, acrylic arch, acrylic lighting decoration



**FUJICN-D011** (Optional)  
Hollow stainless steel mirror and white light-emitting board, stainless steel frame




**FUJICN-D012** (Optional)  
Mirror stainless steel frame, middle arch roof, LED lights.



**FUJICN-D013** (Optional)  
High-definition foldover plate and titanium stainless steel mirror hollow out framework



**FUJICN-D014** (Optional)  
Intermediate image is flattened on both sides of the base plate supported by soft downlight lighting design



**FUJICN-D015** (Optional)  
Titanium mirror stainless steel frame, central acrylic arched white translucent panels of soft lighting design




**FUJICN-D016** (Optional)  
Golden Ti-plating mirror finished stainless steel, crystal lamp, warm light(yellow)



## FLOOR SERIES




**FUJICN-B001**  
(Optional)



**FUJICN-B002**  
(Optional)



**FUJICN-B003**  
(Optional)



**FUJICN-B004**  
(Optional)



**FUJICN-B005**  
(Optional)



**FUJICN-B006**  
(Optional)




**FUJICN-B007**  
(Optional)



**FUJICN-B008**  
(Optional)



**FUJICN-B009**  
(Optional)



**FUJICN-B010**  
(Optional)




**FUJICN-B011**  
(Optional)



**FUJICN-B012**  
(Optional)

## Small Machine Room Passenger Elevator Construction Parameters




Load (kg)	Speed (m/s)	Car dimension (mm)	Door-opening size (mm)		Hoistway size (mm)	Machine room size (mm)	Overhead height (mm)	Pit depth (mm)	Maximum lifting height (m)
		Inner size AxB	DW Door net opening	DH Net door height					
630	1.0	1400x1100	800	2100	2000x1800	2000x3500	4500	1500	105
	1.75						4700	1700	
	2.0						4900	2000	
800	1.0	1400x1350	800	2100	2000x2000	2000x3800	4500	1500	105
	1.75						4700	1700	
	2.0						4900	2000	
1000	1.0	1600x1400	900	2100	2200x2100	2200x2400	4500	1500	105
	1.75						4700	1700	
	2.0						4900	2000	
1250	1.0	1800x1550	1100	2100	2400x2300	2400x4100	4500	1500	105
	1.75						4700	1700	
	2.0						4900	2000	
1600	1.0	1950x1700	1100	2100	2600x2450	2600x4500	4500	1500	105
	1.75						4700	1700	
	2.0						4900	2000	

The data is for design reference only. For the detailed parameters, please take the technical drawing as the criterion.

Note: If the specification exceeds above range, please contact us, FUJICN Elevator Company.




# Machine Roomless Passenger Elevator Construction Parameters



Load (kg)	Speed (m/s)	Car size (mm)		Car door width x height (mm)	Hoistway size (mm)	Overhead height (mm)	Pit depth (mm)
		CWxCD	Inner size (mm)				
630	1.0	1200x1300	800x2100	2150x1800	4500	1500	
	1.75			2150x1800	4700	1500	
	2.0			2250x1900	5000	1700	
800	1.0	1400x1350	800x2100	2250x2100	4500	1500	
	1.75			2250x2100	4700	1500	
	2.0			2350x2200	5000	1700	
1000	1.0	1600x1500	900x2100	2400x2100	4500	1500	
	1.75			2400x2100	4700	1600	
	2.0			2500x2200	5000	1700	
1150	1.0	1700x1500	1000x2100	2550x2100	4500	1500	
	1.75			2550x2100	4700	1600	
	2.0			2650x2200	5000	1700	
1350	1.0	1800x1650	1100x2100	3000x2250	4700	1500	
	1.75			3000x2250	4900	1600	
	2.0			3100x2350	5100	1800	
1600	1.0	2000x1700	1200x2100	3200x2300	4700	1500	
	1.75			3200x2300	4900	1600	
	2.0			3300x2400	5100	1800	

The data is for design reference only. For the detailed parameters, please take the technical drawing as the criterion.  
 Note: If the specification exceeds above range, please contact us, FUJI Elevator Company.

# Obervation Elevator Construction Parameters




Rated capacity (kg)	carrying number (Passenger)	Rated speed (m/s)	Car net size CWxCD (mm)	Entrance CWxDH (mm)	Shaft dimension SWxSD (mm)	Machine room size MWxMH (mm)	pit depth PD	head room height OH	Power (KW)	applied force (KN)			
										R1	R2	R3	R4
630	8	1.0	1100x1600	800x2100	2300x2200	2300x2200	1800	4500	4.5	37	27	88	68
		1.5					1900	4600	6.3	37	27	88	68
800	10	1.0	1200x1800	800x2100	2400x2400	2400x2400	1800	4500	5.5	47	35	88	68
		1.75					1900	4600	9.8	47	35	88	68
1000	13	1.0	1300x1900	900x2100	2500x2500	2500x2500	1800	4500	6.7	55	41	96	76
		1.75					1900	4600	11.7	55	41	96	76

Note: Only for reference, final manufacture please follow contract.




# Hospital Elevator Construction Parameters



Persons (Passenger)	Rated capacity (kg)	Rated speed (m/s)	Net size of car (mm)	Net door width (mm)	Shaft size (mm)			Machine room size (mm)	
			C.WxC.D	D.WxD.H	H.WxH.D	HR.H	PIT	MR.WxMR.D	MR.H
21	1600	1.0	1400x2400	1100x2100 2P telescopic opening	2300x2900	4500	1500	3000x4500	2500
		1.5/1.75				4600	1600		
		2.0				4900	1800		

The data is for design reference only. For the detailed parameters, please take the technical drawing as the criterion.  
 Note: If the specification exceeds above range, please contact us, FUJICN Elevator Company.

# Freight Elevator Construction Parameters




Rated capacity (kg)	Rated speed (m/s)	Net size of car	Net door size	Hoistway size (mm)			Machine room size (mm)
		CWxCD	DWxDH (mm)	HWxHD	PH	OH	MWxMD
1000	0.5	1500x1800	1100x2100	2300x2200	1500	4500	3000x3000
2000	0.5	2000x2300	1500x2100	2850x2700	1500	4500	3500x4000
3000	0.5	2470x2560	1800x2100	3600x2900	1500	4600	4100x4500
5000	0.5	3070x3160	2000x2100	4400x3600	1500	5000	4900x4500

Note: Only for reference, final manufacture please follow contract.



# Machine Room-less Freight Elevator Construction Parameters



Rated capacity (kg)	Rated speed (m/s)	Net size of car (mm)	Net door size (mm)	Hoistway size (mm)			Machine room size (mm)
		CWxCD	DWxDH	HW×HD	PH	OH	MW×MD×MH
1000	0.5	1500x1800	1100x2100	2400x2200	1500	4500	
2000	0.5	2000x2300	1500x2100	3150x2700	1500	4800	
3200	0.5	2470x2560	1800x2100	3800x2900	1500	5000	

Note: Only for reference, final manufacture please follow contract.

# Elevator function table



## Control function

VVVF drive	S
VVVF drive for door operator	S
Well and floor distance self-tuning	S
Power on re-leveling	S
Micro-touch button for car	S
Car arrival chime	S
Intelligent call service	O
Pre-opening	O
The second car operation panel	O
Remote monitoring and control	O
Special floor priority service	O
Non-service floor setting	O
Duplex control	O
Group supervision function	O
Up peak service(for elevator group)	O
Down peak service(for elevator group)	O
Lunch time service(for elevator group)	O
VIP service(for elevator group)	O
Continuity of service(for elevator group)	O
Automatic floor support(for elevator group)	O



## Comfortable function

Emergency car lighting	S
Car ventilation light automatically shut off	S
Repeated door closing	S
Automatically adjust door opening time	S
Reopen with hall call	S
Express door closing	S
Car stop and door open	S
Pre-load start	S



## Information function

Full collective selective control	S
Full-load bypass	S
Main floor shut off	S
Self diagnosis of breakdown	S
Five-way communication	S
Car alarm	S
Floor and direction indicator in the car	S
Floor and direction indicator at hall	S
Voice announcement	O
Car LCD display	O
Traffic flow management ( for elevator group )	O
Decentralized standby	O




## Safety function

Light curtain	S
Overload holding stop	S
Anti- nuisance	S
Traction-resistant rope sliding	S
start protection control	S
Inspection operation	S
Inching operation	S
Safety stop	S
Terminal forced deceleration protection	S
Up/down limit and terminal protection	S
Over speed protection device	S
Up over speed protection	S
Power failure emergency leveling device	O
Fire emergency return	S
Fireman running	O
UCMP	O

S- Standard  
O- Optional

Remark: Please refer to FUJICN technical documents and contact our FUJICN sales person for details.






## ESCALATOR


### Superior performance, for the smooth line escort

In accordance with the existing international standards and Chinese standards, new materials and advanced technology from domestic and overseas are fully applied to design and manufacture FUJICN escalators. The escalator has the features, such as smooth running, low noise, fine durability, easy maintenance etc.

With the compact structure, fine step rail and belt way, beautiful appearance and contemporary design, FUJICN escalators are widely used in shopping malls, supermarkets, subways, airports and other high traffic sites, becoming bright flowing scenes of the constructions.



Efficiency comparison conceptual diagram between helical gear speed reducer and worm-gear speed reducer



Variable frequency specification running conceptual diagram

## MOVING WALK

### Advantageous performances of travelator

Compact structure, reduce space: FUJICN Elevator pedestrian short sidewalks to narrow the space span, so that the whole structure is more compact, flexible to adapt to the architectural pattern, for customers to save valuable building space. Divided into horizontal, inclined two product planning series, allows customers to choose according to their layout ideas.


Stability, long life: short pedal and the conveyor chain is directly connected, FUJICN Elevator automatic sidewalk more quiet and stable operation, the whole life cycle can be greatly extended, product maintenance and more convenient. Special design of the large roller handrail drive, low noise operation, driving force, to improve the operating conditions of the escalator, so that the handrail with a longer life. Unique rectangular square tube structure with a strong load capacity, greatly improving the stability of the whole machine to run and extend the service life of the product. Diverse styles, nice: stamping pattern front plate, nice, more three-dimensional sense. Inside and outside the cover with high-quality stainless steel, to meet the individual needs of different environments.

Energy saving and environmental protection, reduce costs: FUJICN Elevator automatic sidewalk products make full use of advanced manufacturing technology, greatly improving product performance and extend the life cycle of the machine, the direct effect is to reduce the customer's operating costs, the choice of variable frequency drive technology, Energy-saving effect is significant, the maximum to reduce the machine's operating costs.






## 30° / 35° Escalator Construction Parameters



Model	Tracelling height(mm)	Netheight KN	Supporting		Motor power	Transport size	
			R1 KN	R2 KN		h	L
SFN/SFW(600) -35(4500 Persons/h)	3000	54	43	39	8	2850	10180
	3500	57	46	41		2890	11030
	4000	60	59	44		2920	11890
	4500	64	52	46		2940	12750
	5000	67	54	49		2970	13610
	5500	70	57	51		2980	14470
SFN/SFW(800) -35(6750 Persons/h)	6000	73	60	54	8	3000	15330
	3000	56	49	44		2850	10180
	3500	60	52	47		2890	11030
	4000	63	56	50		2920	11890
	4500	66	59	53		2940	12750
	5000	70	62	56		2970	13610
SFN/SFW(1000) -35(9000 Persons/h)	5500	73	65	59	11	2980	14470
	6000	76	69	61		3000	15330
	3000	60	56	50		2850	10180
	3500	64	60	53		2890	11030
Speed 0.5m/s	4000	67	64	57	8	2920	11890
	4500	71	67	60		2940	12750
	5000	74	71	64		2970	13610
	5500	82	77	69		2980	14470
	6000	85	81	72		3000	15330





(mm) Step width	A	B	C	D	E	F
1000	1000	1158	1238	1600	1660	2310
800	800	958	1038	1400	1460	2110
600	600	758	838	1200	1260	1910

The data is for design reference only. For the detailed parameters, please take the technical drawing as the criterion.

Note: If the specification exceeds above range, please contact us, FUJICN Elevator Company.

## 10° / 12° Moving Walk Construction Parameters



(KN) The construction supporting force includes the vibration load

No intermediate supporting	One intermediate supporting	2 intermediate supporting
$R_o=0.0045XL+13$	$R_o=0.0045XL_a+13$	$R_o=0.0045XL_a+13$
$R_u=0.0045XL+7$	$R_u=0.0045XL_b+7$	$R_u=0.0045XL_b+7$
	$S_1=0.00585X(L_a=L_b)$	$S_1=0.00585X(L_a=L_c)$
		$S_2=0.00585X(L_b=L_c)$

H Tracelling height	Intermediate supporting		La (mm)	Lb (mm)	Lc (mm)
	From	To			
1601	2663	-	-	-	-
2664	4151	1	-	L-7000	7000
4152	5851	1	-	15000	15000
5852	6000	1	1	15000	7000
					L-22000

The data is for design reference only. For the detailed parameters, please take the technical drawing as the criterion.

Note: If the specification exceeds above range, please contact us, FUJICN Elevator Company.



## SERVICE SYSTEM

### STAR SERVICE, FULL WORRY-FREE

High quality originated from professional works. The company is firmly convinced that good service and good elevator mean truly good quality. In continuous perfection, it establishes well-developed service system. It takes the clients' requirements as service pursuit, winning great satisfaction from vast clients as the service objective. We wholeheartedly finish the best service each time. We guarantee to provide the clients with the most superior and comprehensive services as soon as possible.

Please have faith in FUJICN Elevator. Our service is always on the way. We offer support when you need us. Our good service has no bound.



### After-sale service network that covers all over the country



### Before-sale Sincere communication rational advice

Focusing on the customer need, we will make the professional analysis on our customer so as to provide the personalized and suitable solution.



### Mid-sale Professional service full-process support

We can serve various construction projects with the high-efficiency, high-standard and high-safety installing service. We will also provide the customer with professional training of installation usage in a most overall manner.



### After-sale Real-time response considerate service

According to the principle of real-time response, we have provided the service of 24-hour hotline, speedy repair and maintenance as well as accessory supply.